# **PP-3371-Mfill1**



# **Polypropylene Compound Reinforced with Talc Powder**

### **Injection Grade**

### **Technical Data Sheet**

#### **Product Description**

**PP-3371-Mfill1** is Co-polymer Polypropylene based Compound in black color and reinforced with  $\frac{40\%}{100}$  of fine Talc Powder. This grade is designed for use in a wide range of injection parts especially in automotive industry. This compound combines good mechanical, High Impact strength and thermal properties, as well as dimensional stability and suitable stiffness.

General		
Material Status: Available Processing Method: injection moldi Filler: Talc Powder Form: Pellet Color: Black	ing	
Properties	Nominal Value	Test Method
Density	1.25 g/cm³ (±0.01)	ASTM D792
MFI (230°C/ 2.16)	6 g/10 min (±2)	ASTM D1238
Filler Content	40 % (±4)	ASTM D5630
Izod Impact, Notched	20 kj/m² (±1)	oly ISO 180 rs
Hardness	72 shore D (±2)	ASTM D570
Tensile Strength @Yield	25 MPa (±2)	ASTM D638
Elongation @ Break	10 %	ASTM D638
Tensile Modulus	3000 MPa (±200)	ASTM D638
Heat Deflection Temperature (0.45MPa)	115 °C	ASTM D648